

H.A

| | | |
|-------------------------------|------------------------|---------------------|
| Notice of Allowability | Application No. | Applicant(s) |
| | 10/643,872 | KATSUZAWA ET AL |
| | Examiner | Art Unit |
| | Nguyen N. Hanh | 2834 |

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to Amendments filed on 2/10/2005.
2. The allowed claim(s) is/are 1,7 and 8.
3. The drawings filed on 07 April 2005 are accepted by the Examiner.
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All b) Some* c) None of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying Indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 01/05, 02/05
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application (PTO-152)
6. Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

-“Fig. – is a cross section taken along line --- 4-4 of Fig. –3” in Page 4, second full paragraph of the Amendment to the Specification on 2/10/2005 should be written as:---Fig. 4 is a cross section taken along taken along line 4-4 of Fig. 3---.

Remarks

2. In view of amendments, the Examiner withdraws the objections to the drawings and the rejection under 35 USC 103 (a) to claims 1-6. The cancellation of claims 2-6 and the addition of claims 7 and 8 has been acknowledged.

Allowable Subject Matter

3. Claims 1, 7 and 8 are allowed.

4. The following is a statement of reasons for the indication of allowable subject matter: the prior art of record does not show a motor as described in claim 1 wherein a plurality of cooling air passage portions is isolated from the supply section, is integrally provided on the inside of the cylindrical member to extend toward the cooling fan, is arranged to surround the supply section, and prevents cooling air from leaking from the cylindrical member; and wherein said plurality of air passage portions is arranged with a

Art Unit: 2834

space between each, so that at least one open window allowing a visual observation from outside the motor into the motor is formed in the cylindrical member in the space.

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hanh N Nguyen whose telephone number is (571) 272-2031. The examiner can normally be reached on Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner 's supervisor, Darren Schuberg, can be reached on (571) 272-2044. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 872-9306 for regular communications and (703) 872-9306 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-1782.

HNN

April 8, 2005

DARREN SCHUBERG
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800




SERIAL NO.: 10/843,872
DOCKET NO.: 392,1809
Reply to Office Action of November 12, 2004
Replacement Sheet

Approved by Examiner
HNN

4/8/05


FIG. 4



Approved by Examiner
HNN

FIG. 2

4/8/05



TITLE: AIR COOLED MOTOR
INVENTORS: Yukio KATSUZAWA, et al.
SERIAL NO.: 10/643,872
DOCKET NO.: 392.1809
Reply to Office Action of November 12, 2004
Réplacement Sheet

INVENTORS: Yukio KATSUZAWA, et al.
SERIAL NO.: 10643,872
DOCKET NO.: 392 1809
Reply to Office Action of November 12, 2004
Replacement Sheet

Approved by Examiner
HNN

4/8/05

FIG. 5





FIG. 3